

# Ground Flat Steel: Type 01

## Regular



**Thickness Tolerance**  
 Regular: +/- .001"  
 Oversize: +.010"/+.015"  
**Width Tolerance**  
 Regular: +.000"/+.005"  
 Oversize: +.010"/+.015"  
**Length Tolerance:** Plus

PART NUMBER	THICKNESS	18" Long		36" Long
		WIDTH (in)	WEIGHT (lbs)	WEIGHT (lbs)
0701-.015-.5	1/64	1/2	0.04	N/A
0701-.015-.75		3/4	0.06	
0701-.015-1		1	0.08	
0701-.015-1.25		1 1/4	0.10	
0701-.015-1.5		1 1/2	0.12	
0701-.015-2		2	0.16	
0701-.015-2.5		2 1/2	0.20	
0701-.015-3		3	0.24	
0701-.015-4	4	0.32		
0701-.031-.5	1/32	1/2	0.08	0.16
0701-.031-.75		3/4	0.12	0.24
0701-.031-1		1	0.16	0.32
0701-.031-1.25		1 1/4	0.20	0.40
0701-.031-1.5		1 1/2	0.24	0.48
0701-.031-2		2	0.32	0.65
0701-.031-2.5		2 1/2	0.40	0.81
0701-.031-3		3	0.48	0.97
0701-.031-4		4	0.65	1.29
0701-.031-6		6	0.97	1.94
0701-.047-.5	3/64	1/2	0.12	0.24
0701-.047-.75		3/4	0.18	0.36
0701-.047-1		1	0.24	0.48
0701-.047-1.25		1 1/4	0.30	0.61
0701-.047-1.5		1 1/2	0.36	0.73
0701-.047-2		2	0.48	0.97
0701-.047-2.5		2 1/2	0.60	1.21
0701-.047-3		3	0.73	1.45
0701-.047-3.5		3 1/2	0.85	1.69
0701-.047-4		4	0.97	1.93
0701-.047-6	6	1.45	2.90	
0701-.062-.25	1/16	1/4	0.08	0.16
0701-.062-.375		3/8	0.12	0.24
0701-.062-.5		1/2	0.16	0.32
0701-.062-.625		5/8	0.20	0.40
0701-.062-.75		3/4	0.24	0.48
0701-.062-1		1	0.32	0.65
0701-.062-1.25		1 1/4	0.40	0.81
0701-.062-1.5		1 1/2	0.48	0.97
0701-.062-1.75		1 3/4	0.56	1.13
0701-.062-2		2	0.64	1.29
0701-.062-2.5		2 1/2	0.81	1.61
0701-.062-3		3	0.97	1.93
0701-.062-3.5		3 1/2	1.13	2.26
0701-.062-4		4	1.29	2.58
0701-.062-5		5	1.61	3.22
0701-.062-6		6	1.93	3.87
0701-.062-8	8	2.58	5.15	
0701-.062-10	10	3.22	6.44	
0701-.078-.5	5/64	1/2	0.20	0.40
0701-.078-.75		3/4	0.30	0.61
0701-.078-1		1	0.40	0.81
0701-.078-1.25		1 1/4	0.50	1.01
0701-.078-1.5		1 1/2	0.60	1.21
0701-.078-2		2	0.81	1.61
0701-.078-2.5		2 1/2	1.01	2.01
0701-.078-3		3	1.21	2.42
0701-.078-4		4	1.61	3.22
0701-.078-6		6	2.42	4.83

PART NUMBER	THICKNESS	18" Long		36" Long
		WIDTH (in)	WEIGHT (lbs)	WEIGHT (lbs)
0701-.093-.25	3/32	1/4	0.12	0.24
0701-.093-.375		3/8	0.18	0.36
0701-.093-.5		1/2	0.24	0.49
0701-.093-.75		3/4	0.36	0.73
0701-.093-1		1	0.48	0.97
0701-.093-1.25		1 1/4	0.61	1.21
0701-.093-1.5		1 1/2	0.73	1.45
0701-.093-1.75		1 3/4	0.85	1.69
0701-.093-2		2	0.97	1.94
0701-.093-2.5		2 1/2	1.21	2.42
0701-.093-3	3	1.45	2.90	
0701-.093-4	4	1.93	3.87	
0701-.093-5	5	2.42	4.84	
0701-.093-6	6	2.90	5.80	
0701-.093-8	8	3.87	7.74	
0701-.093-10	10	4.83	9.67	
0701-.109-.5	7/64	1/2	0.28	0.57
0701-.109-.75		3/4	0.42	0.85
0701-.109-1		1	0.57	1.13
0701-.109-1.25		1 1/4	0.71	1.41
0701-.109-1.5		1 1/2	0.85	1.69
0701-.109-2		2	1.13	2.26
0701-.109-2.5	2 1/2	1.41	2.82	
0701-.109-3	3	1.69	3.38	
0701-.109-4	4	2.26	4.51	
0701-.109-6	6	3.38	6.77	
0701-.125-.125	1/8	1/8	0.08	0.16
0701-.125-.25		1/4	0.16	0.33
0701-.125-.312		3/8	0.20	0.41
0701-.125-.375		1/2	0.24	0.49
0701-.125-.5		5/8	0.32	0.65
0701-.125-.625		3/4	0.40	0.81
0701-.125-.75		1	0.48	0.97
0701-.125-1		1 1/4	0.65	1.29
0701-.125-1.25		1 1/2	0.81	1.61
0701-.125-1.5		1 3/4	0.97	1.94
0701-.125-1.75		2	1.13	2.26
0701-.125-2		2 1/2	1.29	2.58
0701-.125-2.5		3	1.61	3.22
0701-.125-3		3 1/2	1.93	3.87
0701-.125-3.5	4	2.26	4.51	
0701-.125-4	5	2.58	5.16	
0701-.125-5	6	3.22	6.44	
0701-.125-6	7	3.87	7.73	
0701-.125-7	8	4.51	9.02	
0701-.125-8	10	5.15	10.31	
0701-.125-10	12	6.44	12.88	
0701-.125-12	14	7.73	15.46	
0701-.125-14	14	9.02	18.04	
0701-.14-.5	9/64	1/2	0.36	0.73
0701-.14-.75		3/4	0.55	1.09
0701-.14-1		1	0.73	1.45
0701-.14-1.25		1 1/4	0.91	1.81
0701-.14-1.5		1 1/2	1.09	2.18
0701-.14-2		2	1.45	2.90
0701-.14-2.5		2 1/2	2.18	4.35
0701-.14-4		4	2.90	5.80

# Ground Flat Steel: Type 01

## Regular



PART NUMBER	THICKNESS	WIDTH (in)	18" Long		36" Long	
			WEIGHT (lbs)	WEIGHT (lbs)	WEIGHT (lbs)	WEIGHT (lbs)
0701-.156-.156	5/32	5/32	0.13	0.26		
0701-.156-.25		1/4	0.20	0.41		
0701-.156-.375		3/8	0.30	0.61		
0701-.156-.5		1/2	0.40	0.81		
0701-.156-.75		3/4	0.61	1.21		
0701-.156-1		1	0.81	1.61		
0701-.156-1.25		1 1/4	1.01	2.02		
0701-.156-1.5		1 1/2	1.21	2.42		
0701-.156-1.75		1 3/4	1.41	2.82		
0701-.156-2		2	1.61	3.23		
0701-.156-2.5		2 1/2	2.02	4.03		
0701-.156-3		3	2.42	4.84		
0701-.156-3.5		3 1/2	2.82	5.64		
0701-.156-4		4	3.22	6.45		
0701-.156-5		5	4.03	8.06		
0701-.156-6		6	4.83	9.67		
0701-.156-8		8	6.44	12.89		
0701-.187-.187		3/16	3/16	0.18	0.37	
0701-.187-.25	1/4		0.24	0.49		
0701-.187-.3125	5/16		0.30	0.61		
0701-.187-.375	3/8		0.36	0.73		
0701-.187-.5	1/2		0.49	0.97		
0701-.187-.625	5/8		0.61	1.21		
0701-.187-.75	3/4		0.73	1.45		
0701-.187-1	1		0.97	1.94		
0701-.187-1.25	1 1/4		1.21	2.42		
0701-.187-1.5	1 1/2		1.45	2.90		
0701-.187-1.75	1 3/4		1.69	3.39		
0701-.187-2	2		1.93	3.87		
0701-.187-2.5	2 1/2		2.42	4.84		
0701-.187-3	3		2.90	5.80		
0701-.187-3.5	3 1/2		3.38	6.77		
0701-.187-4	4		3.87	7.73		
0701-.187-5	5		4.83	9.67		
0701-.187-6	6		5.80	11.60		
0701-.187-8	8		7.73	15.46		
0701-.187-10	10		9.66	19.33		
0701-.187-12	12		11.60	23.19		
0701-.218-.21875	7/32		7/32	0.25	.5	
0701-.218-.5			1/2	0.57	1.13	
0701-.218-.75			3/4	0.85	1.70	
0701-.218-1		1	1.13	2.26		
0701-.218-1.25		1 1/4	1.41	2.82		
0701-.218-1.5		1 1/2	1.69	3.39		
0701-.218-2		2	2.26	4.52		
0701-.218-2.5		2 1/2	2.82	5.64		
0701-.218-3		3	3.38	6.77		
0701-.218-4		4	4.51	9.02		
0701-.218-6		6	6.77	13.53		
0701-.25-.25		1/4	1/4	0.33	0.65	
0701-.25-.312	5/16		0.41	0.81		
0701-.25-.375	3/8		0.49	0.97		
0701-.25-.5	1/2		0.65	1.29		
0701-.25-.625	5/8		0.81	1.62		
0701-.25-.75	3/4		0.97	1.94		
0701-.25-1	1		1.29	2.58		
0701-.25-1.25	1 1/4		1.61	3.23		
0701-.25-1.5	1 1/2		1.94	3.87		
0701-.25-1.75	1 3/4		2.26	4.51		
0701-.25-2	2		2.58	5.16		
0701-.25-2.5	2 1/2		3.22	6.45		
0701-.25-3	3		3.87	7.74		
0701-.25-3.5	3 1/2		4.51	9.02		
0701-.25-4	4		5.16	10.31		
0701-.25-4.5	4 1/2		5.80	11.60		
0701-.25-5	5		6.44	12.89		
0701-.25-5.5	5 1/2		7.09	14.18		
0701-.25-6	6		7.73	15.46		
0701-.25-7	7		9.02	18.04		
0701-.25-8	8		10.31	20.62		
0701-.25-10	10		12.88	25.77		
0701-.25-12	12		15.46	30.92		
0701-.25-14	14		18.04	36.07		

PART NUMBER	THICKNESS	WIDTH (in)	18" Long		36" Long	
			WEIGHT (lbs)	WEIGHT (lbs)	WEIGHT (lbs)	WEIGHT (lbs)
0701-.281-.281	9/32	9/32	0.41	0.82		
0701-.281-.5		1/2	0.73	1.46		
0701-.281-.75		3/4	1.09	2.18		
0701-.281-1		1	1.45	2.91		
0701-.281-1.25		1 1/4	1.82	3.63		
0701-.281-1.5		1 1/2	2.18	4.36		
0701-.281-2		2	2.90	5.80		
0701-.281-3		3	4.35	8.70		
0701-.281-4		4	5.80	11.60		
0701-.281-6		6	8.70	17.40		
0701-.312-.312		5/16	5/16	0.51	1.01	
0701-.312-.375			3/8	0.61	1.22	
0701-.312-.5	1/2		0.81	1.62		
0701-.312-.625	5/8		1.01	2.02		
0701-.312-.75	3/4		1.21	2.42		
0701-.312-1	1		1.61	3.23		
0701-.312-1.25	1 1/4		2.02	4.03		
0701-.312-1.5	1 1/2		2.42	4.84		
0701-.312-1.75	1 3/4		2.82	5.64		
0701-.312-2	2		3.22	6.45		
0701-.312-2.5	2 1/2		4.03	8.06		
0701-.312-3	3		4.83	9.67		
0701-.312-3.5	3 1/2		5.64	11.28		
0701-.312-4	4		6.44	12.89		
0701-.312-5	5		8.05	16.11		
0701-.312-6	6		9.66	19.33		
0701-.312-7	7		11.28	22.55		
0701-.312-8	8		12.89	25.77		
0701-.312-10	10	16.11	32.21			
0701-.312-12	12	19.33	38.65			
0701-.375-.375	3/8	3/8	0.73	1.46		
0701-.375-.5		1/2	0.97	1.94		
0701-.375-.625		5/8	1.21	2.42		
0701-.375-.75		3/4	1.45	2.91		
0701-.375-1		1	1.94	3.87		
0701-.375-1.25		1 1/4	2.42	4.84		
0701-.375-1.5		1 1/2	2.90	5.81		
0701-.375-1.75		1 3/4	3.39	6.77		
0701-.375-2		2	3.87	7.74		
0701-.375-2.5		2 1/2	4.84	9.67		
0701-.375-3		3	5.80	11.60		
0701-.375-3.5		3 1/2	6.77	13.54		
0701-.375-4		4	7.73	15.47		
0701-.375-4.5		4 1/2	8.70	17.40		
0701-.375-5		5	9.67	19.33		
0701-.375-5.5		5 1/2	10.63	21.26		
0701-.375-6		6	11.60	23.20		
0701-.375-7		7	13.53	27.06		
0701-.375-8	8	15.46	30.92			
0701-.375-10	10	19.33	38.65			
0701-.375-12	12	23.19	46.38			
0701-.437-.437	7/16	7/16	0.99	1.98		
0701-.437-.5		1/2	1.13	2.27		
0701-.437-.75		3/4	1.70	3.39		
0701-.437-1		1	2.26	4.52		
0701-.437-1.125		1 1/8	2.82	5.65		
0701-.437-1.5		1 1/2	3.39	6.77		
0701-.437-2		2	4.51	9.03		
0701-.437-2.5		2 1/2	5.64	11.28		
0701-.437-3		3	6.77	13.54		
0701-.437-4		4	9.02	18.05		

# Ground Flat Steel: Type 01

## Regular



PART NUMBER	THICKNESS	18" Long		36" Long
		WIDTH (in)	WEIGHT (lbs)	WEIGHT (lbs)
0701-5- .5	1/2	1/2	1.29	2.59
0701-5- .625		5/8	1.62	3.23
0701-5- .75		3/4	1.94	3.88
0701-5- 1		1	2.58	5.17
0701-5- 1.25		1 1/4	3.23	6.45
0701-5- 1.5		1 1/2	3.87	7.74
0701-5- 1.75		1 3/4	4.51	9.03
0701-5- 2		2	5.16	10.32
0701-5- 2.5		2 1/2	6.45	12.89
0701-5- 3		3	7.74	15.47
0701-5- 3.5		3 1/2	9.02	18.05
0701-5- 4		4	10.31	20.62
0701-5- 4.5	4 1/2	11.60	23.20	
0701-5- 5	5	12.89	25.78	
0701-5- 6	6	15.46	30.93	
0701-5- 7	7	18.04	36.08	
0701-5- 8	8	20.62	41.23	
0701-5- 10	10	25.77	51.54	
0701-5- 12	12	30.92	61.84	
0701-562- .562	9/16	9/16	1.64	3.28
0701-562- .75		3/4	2.18	4.36
0701-562- 1		1	2.91	5.81
0701-562- 1.25		1 1/4	3.63	7.26
0701-562- 1.5		1 1/2	4.35	8.71
0701-562- 2		2	5.80	11.61
0701-625- .625	5/8	5/8	2.02	4.04
0701-625- .75		3/4	2.42	4.85
0701-625- 1		1	3.23	6.46
0701-625- 1.25		1 1/4	4.03	8.07
0701-625- 1.5		1 1/2	4.84	9.68
0701-625- 2		2	6.45	12.90
0701-625- 2.5		2 1/2	8.06	16.12
0701-625- 3		3	9.67	19.34
0701-625- 3.5		3 1/2	11.28	22.56
0701-625- 4		4	12.89	25.78
0701-625- 5		5	16.11	32.22
0701-625- 6		6	19.33	38.66
0701-750- .75	3/4	3/4	2.91	5.82
0701-750- 1		1	3.87	7.75
0701-750- 1.25		1 1/4	4.84	9.68
0701-750- 1.5		1 1/2	5.81	11.61
0701-750- 1.75		1 3/4	6.77	13.54
0701-750- 2		2	7.74	15.48
0701-750- 2.5		2 1/2	9.67	19.34
0701-750- 3		3	11.60	23.21
0701-750- 3.5		3 1/2	13.54	27.07
0701-750- 4		4	15.47	30.93
0701-750- 4.5		4 1/2	17.40	34.80
0701-750- 5		5	19.33	38.66
0701-750- 6	6	23.20	46.39	
0701-750- 8	8	30.92	61.85	
0701-750- 10	10	38.65	77.31	
0701-750- 12	12	46.38	92.76	

PART NUMBER	THICKNESS	18" Long		36" Long
		WIDTH (in)	WEIGHT (lbs)	WEIGHT (lbs)
0701- .875 - .875	7/8	7/8	3.96	7.91
0701- .875 - 1		1	4.52	9.04
0701- .875 - 1.25		1 1/4	5.65	11.29
0701- .875 - 1.5		1 1/2	6.77	13.55
0701- .875 - 2		2	9.03	18.06
0701- .875 - 3		3	13.54	27.07
0701- .875 - 4	4	18.05	36.09	
0701- .875 - 6	6	27.06	54.12	
0701- 1 - 1	1	1	5.17	10.33
0701- 1 - 1.25		1 1/4	6.45	12.91
0701- 1 - 1.5		1 1/2	7.74	15.48
0701- 1 - 1.75		1 3/4	9.03	18.06
0701- 1 - 2		2	10.32	20.64
0701- 1 - 2.5		2 1/2	12.89	25.79
0701- 1 - 3		3	15.47	30.94
0701- 1 - 3.5		3 1/2	18.05	36.09
0701- 1 - 4		4	20.62	41.25
0701- 1 - 5		5	25.78	51.55
0701- 1 - 6		6	30.93	61.86
0701- 1 - 8		8	41.23	82.47
0701- 1 - 10	10	51.54	103.08	
0701- 1 - 12	12	61.84	123.69	
0701-1.125- 1.125	1 1/8	1 1/8	6.54	13.07
0701-1.125- 1.5		1 1/2	8.71	17.42
0701-1.125- 2		2	11.61	23.22
0701-1.125- 3		3	17.40	34.81
0701-1.125- 4		4	23.20	46.40
0701-1.125- 6		6	34.79	69.59
0701- 1.25 - 1.25	1 1/4	1 1/4	8.07	16.13
0701- 1.25 - 1.5		1 1/2	9.68	19.35
0701- 1.25 - 2		2	12.90	25.79
0701- 1.25 - 2.5		2 1/2	16.12	32.24
0701- 1.25 - 3		3	19.34	38.68
0701- 1.25 - 4		4	25.78	51.56
0701- 1.5 - 1.5	1 1/2	1 1/2	11.61	23.22
0701- 1.5 - 2		2	15.48	30.95
0701- 1.5 - 2.5		2 1/2	19.34	38.68
0701- 1.5 - 3		3	23.21	46.41
0701- 1.5 - 4		4	30.93	61.87
0701- 1.5 - 6		6	46.39	92.78
0701- 1.5 - 8	8	61.85	123.70	
0701- 2 - 2	2	2	20.64	41.27
0701- 2 - 3		3	30.94	61.88
0701- 2 - 4		4	41.25	82.49
0701- 2 - 6		6	61.86	123.71
0701- 2.5 - 2.5	2 1/2	2 1/2	32.24	64.47